

Comment on the proposed conservation of *Disparalona* Fryer, 1968 (Crustacea, Branchiopoda)

(Case 2990; see BZN 54: 89–91; 55: 105, 169)

Werner Hollwedel

Oldenburger Strasse 16A, Varel, D-26316 Germany

I write to support the conservation of the name *Disparalona* Fryer, 1968.

The case for the conservation of *Disparalona* is well founded. The genus *Phrixura* Müller, 1867, with which some would replace it, was described from a single, grossly deformed, individual of the species that Müller called *Alona rostrata*, although because of its deformity he failed to recognise it as such. The true identity of the specimen remained unknown for more than 120 years, during which time the name *Phrixura* was never used. Had Müller known the real identity of the specimen he would have assigned it to *A. rostrata*, which he recorded in the same paper as that in which he described *Phrixura rectirostris*. The latter specific name is clearly a synonym of *A. rostrata* and never had any validity.

The number of workers concerned with this nomenclatural problem, raised in his comment (BZN 55: 105, June 1998) by Grygier, a non-specialist on the group, is irrelevant. In fact, as the original application shows, *Disparalona* has often been referred to by this name. The erection of the genus on functional, as well as morphological, grounds more than 30 years ago led to nomenclatural stability. Previously, species of *Disparalona*, of which there are now several, had appeared under several generic names (see, for example, the synonymic list for *D. rostrata* in Flössner, 1972).

The genus *Phrixura* has no standing. The characters on which it was defined are not merely completely worthless for the purposes of definition, but are totally misleading and do not apply to any taxon, and the use of this name can only lead to confusion. Its suppression, and the conservation of *Disparalona*, would be welcomed by students of the Branchiopods.

Additional reference

Flössner, D. 1972. Krebstiere, Crustacea. Kiemen- und Blattfüsser, Branchiopoda. Fischläuse, Branchiura. *Die Tierwelt Deutschlands*, 60: 501.

Comments on the proposed conservation of *Phytobius* Dejean, 1835 (Insecta, Coleoptera)

(Case 2957; see BZN 55: 22–23)

(1) Enzo Colonnelli

Via Nicolò Piccinino 15, 00176 Rome, Italy

I consider that the proposal to conserve the generic name *Phytobius* Dejean, 1835 (CURCULIONIDAE) by suppression of *Phytobius* Schönherr, 1833 should not be accepted for the following reasons.

1. Silfverberg (BZN 55: 22–23) proposes the conservation of *Phytobius* Dejean, 1835 (p. 282) on the grounds that this name, first published by Schönherr in 1833, 'has ever since been used in that [Dejean's] sense' and that 'it is doubtful whether it was Schönherr's intention to introduce a replacement name for *Hydaticus*'.

2. *Phytobius* Schönherr, 1833, as rightly pointed out by O'Brien & Wibmer (1982), is a replacement name for *Hydaticus* Schönherr, 1825 (type species by original designation *Rhynchaenus myriophylli* Gyllenhal, 1813 (p. 152), a junior subjective synonym of *Curculio leucogaster* Marsham, 1802 (p. 253)). When Schönherr noticed that his name was preoccupied by *Hydaticus* Leach, 1817 (Coleoptera: DYTISCIDAE), he (Schönherr, 1833, p. 20) replaced *Hydaticus* Schönherr, 1825 with *Phytobius*, attributing this name to Schmidt, as also did Dejean (1835). Nonetheless, it is clear that the author is Schönherr himself, since at that time it was the custom to cite who (the collector and often seller of an insect) gave it an unpublished name. As the type species of a replacement name and of the name replaced are the same (Article 67h of the Code), Schönherr's (1833) statement that the type species of *Phytobius* is *Rhynchaenus velutus* Beck, 1817 cannot be accepted under modern rules.

3. It cannot be claimed that Schönherr did not give a reason for replacing his *Hydaticus* 'in terms of the modern Code' (para. 2 of Silfverberg's application). The publication by Schönherr (1833) is the first part of his monumental revision of world genera and species of weevils in eight volumes. A plan of the work (*Tabula synoptica familiae curculionidum*), in which were indexed all genera he intended to deal with, was inserted at the beginning of the first volume (Schönherr, 1833, pp. 1–27).

4. In the third volume, on the pages dealing with *Phytobius*, Schönherr (1835), p. 458, note) wrote: 'Nomen *Hydaticus* alii generi inter Hydrocantharos (*Dyticus fulvus*, *Hybneri*, *stagnalis* et *transversalis*) dudum a Cel. Leach usitatum'. This reference to the prior use of the name *Hydaticus* by Leach clearly means that *Phytobius* Schönherr, 1833 had been introduced as a replacement name, and this meets the requirements of Art. 67, contrary to Silfverberg's claim.

5. Dejean (1835, p. 282), moreover, in writing: '*Phytobius* Schmidt. *Campylirhynchus* Dej[ean] Cat[alogue]' implicitly followed the nomenclature of Schönherr (1833). It can thus be affirmed that *Phytobius* in Dejean's (1835) original sense is not a taxon different from *Phytobius* Schönherr, 1833.

6. The problem originates from the subsequent designation by Thomson (1859) of *Curculio quadrituberculatus* Fabricius, 1787 as the type species of *Phytobius* Dejean, 1835, a designation accepted by the Commission (Opinion 1529, 1989) on the basis of incomplete and partially inexact statements by Silfverberg (BZN 36: 252–256, 1980).

7. The assertion by Silfverberg (BZN 55: 22, para. 3) that *Phytobius* 'has ever since been used' in the sense of Dejean (1835) as determined by Thomson's statement of type species is incorrect: many American authors (e.g. Leconte, 1876; Henshaw, 1885; Dietz, 1896; Blatchley & Leng, 1916; Leng, 1920) have widely used *Phytobius* in the sense of Schönherr, 1833.

8. In addition, several authors not mentioned by Silfverberg (e.g. Colonnelli, 1986; Tempère & Péricart, 1989; McNamara, 1991; Morris, 1991; Abbazzi & Osella, 1992; Strejček, 1993; Dieckmann & Behne, 1994; Abbazzi et al., 1995; Bordoni, 1995; Caldara & O'Brien, 1995; Podlussáni, 1996; Poole & Gentili, 1996; Burakowski et al., 1997; Peck & Thomas, 1998) have used *Phytobius* in the original sense (i.e. that of

Schönherr, 1833) in important publications issued after that by O'Brien & Wibmer (1982). It can be safely affirmed that the current usage of the name *Phytobius* is not in the sense of Dejean (1835) as modified by Thomson, as incorrectly stated by Silfverberg, but in the sense of Schönherr (1833).

9. In consequence there is no reason to suspend the Principles of Priority and Homonymy in this case, since this action would cause additional confusion. The Commission is therefore asked not to accept the proposed conservation of *Phytobius* Dejean, 1835.

Additional references

- Abbazzi, P. & Osella, G. 1992. Elenco sistematico-faunistico degli Anthribidae, Rhinomacreridae, Attelabidae, Apionidae, Brentidae, Curculionidae italiani (Insecta, Coleoptera: Curculionoidea), part 1. *Redia*, **75**(2): 267–414.
- Abbazzi, P., Colonnelli, E., Masutti, L. & Osella, G. 1995. Coleoptera Polyphaga XVI (Curculionoidea). In: Minelli, A., Ruffo, S. & La Posta, S. (Eds.). *Checklist delle specie della fauna Italiana*, 61. 68 pp. Calderini, Bologna.
- Blatchley, W.S. & Leng, C.W. 1916. *Rhynchophora or weevils of North Eastern America*. 682 pp. Nature Publishing Co., Indianapolis.
- Bordoni, A. 1995. *I Coleotteri del Padule di Fucecchio*. 229 pp. Centro di ricerca, documentazione e promozione del Padule di Fucecchio, Pistoia.
- Burakowski, B., Mroczkowski, M. & Stefańska, J. 1997. *Katalog fauny Polski. Część XXIII, tom 21. Chrząszcze Coleoptera. Ryjkowce — Curculionidae, część 3. Nr. 56 'Katalogu fauny Polski'*. 307 pp., 1 pl. Muzeum i Instytutu Zoologii PAN, Warszawa.
- Caldara, R. & O'Brien, C.W. 1995. Curculionidae: aquatic weevils of China (Coleoptera) In: Jäch, M.A. & Ji, L. (Eds.). *Water beetles of China*, **1**: 389–408.
- Colonnelli, E. 1986. Checklist of Phytobiini of the world, with a key to the genera and description of a new species from South Africa (Coleoptera, Curculionidae, Ceutorhynchinae). *Fragmenta Entomologica*, **19**(1): 155–168.
- Dieckmann, L. & Behne, L. 1994. Familie: Curculionidae. Pp. 246–300 in: Lohse, G.A. & Lucht, W.H. (Eds.). *Die Käfer Mitteleuropas*. 3. Supplementband mit Katalogteil. 403 pp. Goecke & Evers, Krefeld.
- Dietz, W.G. 1896. Revision of the genera and species of Ceutorhynchini inhabiting North America. *Transactions of the American Entomological Society*, **23**(4): 387–480.
- Gyllenhal, L. 1813. *Insecta Svecica*, vol. 1, part 3. 730 pp. Leverentz, Scaris.
- Henshaw, S. 1885. *List of the Coleoptera of America, North of Mexico*. iv, 161 pp. American Entomological Society, Philadelphia.
- Leconte, J.L. 1876. The Rhynchophora of America north of Mexico. *Proceedings of the American Philosophical Society*, **15**: i–xvi, 1–455.
- Leng, C.W. 1920. *Catalogue of the Coleoptera of America, north of Mexico*. x, 470 pp. Sherman, Mount Vernon.
- McNamara, J. 1991. Superfamily Curculionoidea. Pp. 323–356 in: Bosquet, Y. (Ed.). *Checklist of beetles of Canada and Alaska*. 430 pp. Research Branch Agriculture Canada publication 1861/E, Ottawa.
- Marsham, T. 1802. *Coleoptera Britannica*, vol. 1. xxxi, 547 pp. London.
- Morris, M.G. 1991. A taxonomic check list of the British Ceutorhynchinae, with notes, particularly on host plant relationships (Coleoptera: Curculionidae). *Entomologist's Gazette*, **42**: 255–265.
- O'Brien, C.W. & Wibmer, G.J. 1982. Annotated checklist of the weevils (Curculionidae sensu lato) of North America, Central America, and the West Indies (Coleoptera: Curculionoidea). *Memoirs of the American Entomological Institute*, **34**: i–ix, 1–382.
- Peck, S.B. & Thomas, M.C. 1998. *A distributional checklist of the beetles (Coleoptera) of Florida. Arthropods of Florida and neighboring land areas*, vol. 16. viii, 180 pp. Florida

Department of Agriculture and Consumer Services, Entomology Contribution no. 862, Gainesville.

- Podlussány, A. 1996. Magyarország ormányosalkatú bogarainak fajlistája (Coleoptera: Curculionoidea). *Folia Entomologica Hungarica*, **57**: 197–225.
- Poole, R.W. & Gentili, P. (Eds.). 1996. *Nomina insecta nearctica. A check list of the insects of North America. Volume 1: Coleoptera, Strepsiptera*. 827 pp. Entomological Information Services, Rockville.
- Schönherr, C.J. [1835]. *Genera et species curculionidum, cum synonymia hujus familiae. Species novae aut hactenus minus cognitae, descriptionibus a Dom. Leonardo Gyllenhal, C.H. Boheman, et entomologis aliis*, vol. 3, part 1. 505 pp. Roret, Paris; Fleischer, Lipsiae.
- Strejček, J. 1993. Curculionidae: in Jelinek, J. (Ed.). Check-list of Czechoslovak Insects IV (Coleoptera). *Folia Heyrovskyana*. Supplementum 1. 172 pp. Picka, Praha.
- Tempère, G. & Péricart, J. 1989. *Faune de France*. 74. Coléoptères Curculionidae. Quatrième partie. Compléments aux trois volumes d'Adolphe Hoffmann. Corrections, additions et répertoire. 534 pp. Fédération Française des Sociétés de Sciences Naturelles, Paris.

(2) Miguel A. Alonso Zarazaga

Museo Nacional de Ciencias Naturales (CSIC), José Gutiérrez Abascal 2,
E-28006 Madrid, Spain

Christopher H.C. Lyal

Department of Entomology, The Natural History Museum, Cromwell Road,
London SW7 5BD, U.K.

In his application, Dr Silfverberg requests the suppression of *Phytobius* Schönherr, 1833, a replacement name for *Hydaticus* Schönherr, 1825 (non Leach, 1817), and the conservation of *Phytobius* Dejean, 1835, on the grounds that the latter has been the subject of a ruling by the Commission in 1989 (Opinion 1529) and has been placed on the Official List of Generic Names in Zoology. In his earlier application, Silfverberg (BZN **36**: 252–256, 1980) overlooked the existence of *Phytobius* Schönherr, 1833, and with his new application is trying to correct this omission. Publication of the recent application coincided with our finalising a generic catalogue (Alonso Zarazaga & Lyal, in prep.) and our preparation of several applications to the Commission, one of these relating to the point raised in Case 2957.

Several important points are omitted from the Case, and we disagree with others.

1. Silfverberg presents three arguments for doubting whether Schönherr (1833) intended to replace his own name *Hydaticus*: (i) Schönherr attributed *Phytobius* to Schmidt; (ii) he gave no reason for replacing *Hydaticus*; and (iii) he provided a different type species from that of *Hydaticus*. The exact terms used by Schönherr (1833, p. 20) are: 'Genus 208. *Phytobius*. Schmidt.— *Hydaticus*. Nob. olim. Typus: *Phytob. velatus*. *Rhynch. id.* Beck.'. In Latin, 'Nob.' is an abbreviation of 'Nobis' ('of us', using the plural as a sign of modesty, thus 'of Schönherr'), the word 'olim' means 'formerly' and was the usual way Schönherr introduced replacement names, and the fact that he attributed the new name to another author (Schmidt) is likely to be either because Schmidt suggested the new name, or as recognition of Schmidt for pointing out the homonymy (as stated by Schönherr, [1835], p. 458). Schönherr (1833) does not give reasons for any taxonomic acts in his *Tabula Synoptica*, but presents these in the body of the text elsewhere in his *Genera et Species*

Curculionidum; in this case he refers ([1835], p. 458) to Leach's name having preoccupied the name *Hydaticus*. Schönherr was, of course, not acting in accord with rules not then created, and would have felt it appropriate to provide a new type species for a new name rather than perpetuate the type of *Hydaticus*. We cannot share Silfverberg's point of view that Schönherr's intention in introducing a replacement name is doubtful according to the Code, and share this view with other students of the group, who are using the name (see para. 4 below).

2. Dejean (1835, p. 282) listed *Phytobius* Schmidt with *Campylirhynchus* Dejean, 1821 as a junior synonym, including (among others) species previously placed by Schönherr (1825, col. 583) in *Hydaticus*, and heading the list with *velatus* Germar. The attribution to Schmidt, and the inclusion of *velatus*, suggest strongly that Dejean was using *Phytobius* in the sense of Schönherr (1833). This is borne out by Schönherr (1835, p. 458), who also included *Campylirhynchus* Dejean as a junior synonym of *Phytobius*. *Phytobius* Dejean, 1835 is therefore the same as *Phytobius* Schönherr, 1833 and *Phytobius* Schönherr, 1835. The type of *Phytobius* Schönherr, 1833 is correctly *Rhynchaenus myriophylli* Gyllenhal, 1813, since this was the type species of the replaced *Hydaticus*. Consequently, this is also the type of *Phytobius* 'Dejean, 1835', and the subsequent type designation by Thomson (1859) of *Curculio quadrituberculatus* Fabricius is incorrect.

3. O'Brien & Wibmer (1982, p. 175) pointed out the primacy of *Phytobius* Schönherr, 1833 over *Phytobius* Dejean, 1835 (but see para. 2 above), and were followed by Colonnelli (1986, p. 159) in his key and checklist of PHYTOBIINI (a work omitted by Silfverberg, 1998). O'Brien & Wibmer (1984, p. 297) suggested that the correct name for *Phytobius* auctt. was *Pelenomus* Thomson, 1859 (p. 138), whose type species by original designation is *Curculio comari* Herbst, 1795. The catalogue produced by O'Brien & Wibmer (1982) is widely accepted as an authoritative source of correct nomenclature, so usage of names in that volume is likely to be perpetuated. Colonnelli (1986) more explicitly noted that *Phytobius* Dejean, 1835 was a junior homonym of *Phytobius* Schönherr, 1833, and also placed it in synonymy with *Pelenomus*, believing that *Phytobius* Dejean and *Phytobius* Schönherr, 1833 were different taxa.

4. *Phytobius* Schönherr, 1833 is in general use both in checklists (e.g. O'Brien & Wibmer, 1982; Morris, 1991; Abbazzi et al., 1994; Anderson, 1997; Morris, in prep.) and revisionary and other work (e.g. Colonnelli, 1986; Egorov, 1988; Creed & Sheldon, 1994), as is *Pelenomus* including some former members of *Phytobius* Dejean (e.g. O'Brien & Wibmer, 1982; O'Brien & Wibmer, 1984; Morris, 1991; Abbazzi & Osella, 1992; Dauphin, 1992; Abbazzi et al., 1995; Read, 1995; Anderson, 1997; Morris, in prep.).

5. Ruling in favour of the application would necessitate returning to the situation prior to O'Brien & Wibmer (1984), although workers on CURCULIONIDAE have accepted their point of view. The application, to be appropriate, should have been published soon after 1984 and not 14 years later after the new nomenclature has stabilised.

6. The family-group name PHYTOBIINI Gistel, 1856 (p. 370; published as PHYTOBIIDAE), which is the first available name for the tribe where both *Phytobius* Schönherr, 1833 and *Pelenomus* are currently placed, has as type genus *Phytobius* Schönherr, 1833, not *Phytobius* Dejean, 1835.

7. If the application is allowed, the tribal name would have to change either to (i) PHYTOBIINI Thomson, 1859 (published as Phytobiides Thomson, 1859, p. 138), type genus *Phytobius* Dejean, 1835, in the sense of *Curculio quadrituberculatus* as the type species. Colonnelli (1986) inadvertently treated *Phytobius* Dejean as a valid name, although, as pointed out in para. 2 above, *Phytobius* Dejean and *Phytobius* Schönherr, 1833 are the same taxon) or (ii) RHINONCINI Thomson, 1865 (published as Rhinoncides Thomson, 1865, p. 231), type genus *Rhinoncus* Schönherr, 1825 (col. 586: type species *Curculio pericarpus* Linnaeus, 1758, by subsequent designation by Westwood (1838, p. 38)). *Rhinoncus* Schönherr, 1825 was placed on the Official List by a ruling of the Commission (Opinion, 1529, 1989) where its type species designation was confirmed and placed on the Official List of Specific Names. However, this name is an objective synonym of *Cryptorhis* Billberg, 1820 (p. 43; type species designated by Wibmer & O'Brien, 1986, p. 276), an unused name which should have been presented for suppression, being a better candidate than *Phytobius* Schönherr, 1833.

8. We consider that the suppression of *Phytobius* Schönherr, 1833 would cause still more confusion, since it would involve changes in the family-group name or author, and therefore propose to keep the nomenclature as stabilized after 1984 (see Colonnelli, 1986).

9. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary powers to delete the entry for *Phytobius* Dejean, 1835 from the Official List of Generic Names in Zoology;
- (2) to place on the Official List of Generic Names in Zoology the name *Phytobius* Schönherr, 1833 (replacement name for *Hydaticus* Schönherr, 1825) (gender: masculine), type species by original designation for *Hydaticus*, *Rhynchaenus myriophylli* Gyllenhal, 1813, a subjective synonym of *Curculio leucogaster* Marsham, 1802;
- (3) to place on the Official List of Specific Names in Zoology the name *leucogaster* Marsham, 1802, as published in the binomen *Curculio leucogaster*, valid name of the type species of *Phytobius* Schönherr, 1833;
- (4) to place on the Official Index of Rejected and Invalid Generic Names in Zoology the name *Hydaticus* Schönherr, 1825 (a junior homonym of *Hydaticus* Leach, 1817).

Additional references

- Alonso Zarazaga, M.A. & Lyal, C.H.C. In prep. *World catalogue of families and genera of Curculionoidea (excepting Scolytidae Latreille, 1807, and Platypodidae Shuckard, 1840)*.
- Anderson, R.S. 1997. Weevils (Coleoptera: Curculionoidea, excluding Scolytinae and Platypodinae) of the Yukon. Pp. 523–562 in Danks, H.V. & Downes, J.E. (Eds.), *Insects of the Yukon*. Biological Survey of Canada (Terrestrial Arthropods), Ottawa.
- Billberg, G.J. 1820. *Enumeratio Insectorum in Musaeo Gust. Joh. Billberg. Typis Gadelianis*. [2], 138 pp. Stockholm.
- Creed, R.P., Jr. & Sheldon, S.P. 1994. Aquatic weevils (Coleoptera: Curculionidae) associated with northern watermilfoil (*Myriophyllum sibiricum*) in Alberta, Canada. *Entomological News*, **105**(2): 98–102.
- Dauphin, P. 1992. Les elatinacées, plantes-hôtes méconnues pour *Nanophyes sahlbergi* (Sahl) et *Pelenomus olssoni* (Isr.) (Col., Curculionidae). *Bulletin de la Société entomologique de France*, **97**(1): 65–68.

- Egorov, A.B.** 1988. New data on the distribution and ecology of water plant-eating curculionid beetles of subfamily Ceutorhynchinae (Coleoptera, Curculionidae) in the fauna of the Soviet Far East. Pp. 60–66 in Levanidova, I.M. & Makarchenko, E.A. (Eds.), *Fauna, systematics and biology of freshwater invertebrates*. Academy of Sciences, USSR, Vladivostok. [In Russian].
- Gistel, J.** 1856. *Die Mysterien der europäischen Insectenwelt*. 12, 532 pp. Kempten, Dannheimer.
- Morris, M.G.** In prep. A check list of British weevils.
- Read, R.W.J.** 1995. Records of Curculionoidea from Cumbria and Dumfriesshire in 1994. *Coleopterist*, 3(3): 86–87.
- Westwood, J.O.** 1838. Synopsis of the genera of British insects. In: Westwood, J.O. *An introduction to the modern classification of insects*. 587 pp. Longman, London.

(3) H. Silfverberg

Zoological Museum, P.O. Box 17, FIN-00014 Helsingfors, Finland

Although the above comments by Colonnelli and by Alonso Zarazaga & Lyal touch upon noteworthy aspects and should be considered in the Commission's final ruling, we should not be diverted from the main point, which is the status of the name *Phytobius* introduced by Schönherr in 1833. The commenters rely heavily on subsequent works by Schönherr. The Code points out in several places that every work is to be evaluated from its own contents and not from later additions to the matter. Whatever we can surmise about Schönherr's intentions, I do not think that what he actually published in 1833 (see the comments by Alonso Zarazaga & Lyal above) was within the Code's requirements for the introduction of a replacement name. Therefore his designation of *Rhynchaenus velutus* as type species would seem to be a valid definition for the genus, to be changed only by a ruling of the Commission.

My application was submitted to the Commission in November 1994, although not published in the *Bulletin* until March 1998, and included references to works and articles with different interpretations of this situation, among them Colonnelli (1986). For reasons of space such references were not printed with the application, but were available to the Commission and other readers. Since 1994 there have been a number of additional works, some of them using the names as interpreted by O'Brien & Wibmer (1982, 1984) and quoted by the commenters, others again using the names as entered on the Official Lists. We can see that the situation is confused.

Following my original application (BZN 36: 252–256, 1980) the name *Phytobius* Dejean, 1835 was placed on the Official List of Generic Names in 1989; up to that time no comments were made to the effect that the name had been published by Schönherr in 1833. Whatever the Commission's final decision on my present application (1998), we can at least hope that all workers who wish to contribute to the discussion have been able to do so. My personal opinion is that once a name has been placed on the Official List stability is best maintained if it can be expected to remain there, with the correction of any errors.